

#### 科 华 公 司

## 器件规格书 COMPONENT SPECIFICATION

| 文件编号:<br>Document No.:   | 2105-00273  |  |  |
|--------------------------|---|--|--|
| 文件名称:<br>Description:    | 电源插头 欧标   |  |  |
| 物料编码:<br>Part No.:       | 2105-00273  |  |  |
| 物 料 名 称:<br>Description: | 电源插头 欧标 300Vac 30. 0A 黑色 R6                                       |  |  |
| 品 牌:<br>Brand:           | 典威  |  |  |
| 制 造 商:<br>Manufacturer:  | 上海典威电子科技有限公司  |  |  |
| 认 证 日 期:<br>Date:        | 2018-03-29  |  |  |
| 版 本:<br><b>Rev.:</b>     | 001   |  |  |
| 其 他 说 明:<br>Remark:      | 1、供方编码 2、供方型号 VPACO6EW-3P(SC) 3、供方产地 东莞 4、注意事项 5、查询路径 # 4 页 (含材面) |  |  |
| <br>                     | 共 <u>4</u> 页(含封面)   |  |  |

| 拟制/日期            | 审核/日期           | 核准/日期            |
|------------------|-----------------|------------------|
| Prepared By/Date | Checked By/Date | Approved By/Date |
| 蓝良顺              |                 |                  |



# 科 华 公 司

### 更改记录表

物料编码: 2105-00273

| 版本  | 修订日期       | -00273<br> | 更改者 | 审核者 |
|-----|------------|------------|-----|-----|
| 001 | 2018-03-29 | 首次拟制       | 蓝良顺 | 胡雄伟 |
|     |            |            |     |     |
|     |            |            |     |     |
|     |            |            |     |     |
|     |            |            |     |     |
|     |            |            |     |     |
|     |            |            |     |     |
|     |            |            |     |     |
|     |            |            |     |     |
|     |            |            |     |     |
|     |            |            |     |     |



### 科 华 公 司

#### 物料及配件清单

物料编码: \_\_\_\_\_

| 序号 | 名称 | 型号 | 数量 | 备注 |
|----|----|----|----|----|
|    |    |    |    |    |
|    |    |    |    |    |
|    |    |    |    |    |
|    |    |    |    |    |
|    |    |    |    |    |
|    |    |    |    |    |
|    |    |    |    |    |
|    |    |    |    |    |
|    |    |    |    |    |
|    |    |    |    |    |
|    |    |    |    |    |
|    |    |    |    |    |
|    |    |    |    |    |
|    |    |    |    |    |
|    |    |    |    |    |
|    |    |    |    |    |

注: 无配件的默认不填写。



#### **Plastic AC Power Connector**



1. Material:

House Material: PBT, Contact: Copper Finish: Silver- plated

2. Specifications:

Voltage rating: 300V AC Current rating: 30 A Max.

Dielectric withstand voltage: 6000V Operation temperature: -40°C to +90°C

Insulation resistance: 5000 Megohms min at 25°C

Waterproof: IP67 (after installation and in mated position)

Finger proof: Touch proof contacts

Cable: 2.5 mm² ∼6 mm²
Cable OD: 10-14mm
3. Mechanical specifications:
Durability: 500 cycles

Mounting: Reverse bayonet coupling Contacts assembly: Hand tooling un-install

Contaction type:Screw
Conector type: Straight plug

4. Basic information:

Part number:VPAC06EW-3P(SC) Standard:EN 61984:2009 Unit Measure:1 pcs

All packaging materials to be approved by Vaconn engineering.



